



Dacromet Coated

<u>JS-WIN-A600</u>	Hand Winch with strap	600lbs
<u>JS-WIN-A1200</u>	Hand Winch with strap	1200lbs
<u>JS-WIN-A1600</u>	Hand Winch with strap	1600lbs
<u>JS-WIN-A2000</u>	Hand Winch with strap	2000lbs
<u>JS-WIN-A2500</u>	Hand Winch with strap	2500lbs



Dacromet Coated

<u>JS-WIN-S1000</u>	Hand Winch w Steel rope	1000lbs
<u>JS-WIN-S1600</u>	Hand Winch w Steel rope	1600lbs
<u>JS-WIN-S2500</u>	Hand Winch w Steel rope	2500lbs



JS-WINM6 Mini truck load winch includes 6m strap



JS-HPP1 Hand Power Puller (comealong)  
1 Tonne, 2 Hook, 5mm x 10ft. cable  
JS-HPP2 Hand Power Puller (comealong)  
2 Tonne, 2 Hook, 5mm x 10ft. cable



JS-LWNRD Load Winder



JS-WIN-TC Truck Load Winch Clip On  
JS-WIN-TS Truck Load Winch Slide On



JS-WIN-E2000 Boat Trailer Winch

Input	12VDC
Rated line pull	2000lb(907kg)
Motor	280W
Gearing	Gear gearshift
Gear ratio	464:1
Drum Length	85mm
Drum Diameter	25mm
Wire Rope	4.8mm*9.2m
Meas	40.5*30*52.5(2PC)
NW/GW	21kg/23kg



JS-WIN-E5000 Boat Trailer Winch

Input	12 Volt DC Input
Load Capacities	15,000Lbs.(Rolling) 12,500Lbs.(Marine) 5,000Lbs.(Pulling)
Power In and Out Capability	Yes
Line Speed	10 Ft.per Minute with Load
Cable Length	40Ft.
Battery Cable Lengths	10Ft.
Remote Cable Length	10Ft.
Mounting Plate Dimensions	8-3/4" L x 4 -15/16" H x 3/16" w
Main Hook Size	5/8" Opening x4-1/4" Long
Pulley Hook Size	5/8" Opening x4-5/8" Long
Net Weight	46 Lbs



JS-WIN-E12000 Boat Trailer Winch

Input	12VDC
Single line rated pull	12000lb(5443kg)
Motor	6.0hp/4.5kw, Series Wound
Control	Remote switch, 12ft(3.7m) lead
Gear train	3 Stage Planetary
Gear reduction ratio	265.2:1
Clutch	Sliding Ring Gear
Braking Action	Automatic In-The-Drum
Drum size	Diameter 2.52"±(64mm) Length 8.82"±(224mm)
Cable	88ft of 3/8"± diameter (27m of 9.5mm diameter)
Fairlead	4-Way Roller Fairlead
Remote Control	Included
Battery	Recommended: 650CCA minimum for winching
Battery Leads	2 gauge, 72"(1.83m)
NW/GW	42kg/46kg
Overall dimentions	(LxWxH) 21.3"x6.3"x8.6"(552x160x218mm)
Mounting Bolt Pattern	10.00±0.015"± x4.50±0.010"±(254x114.3mm)
MEAS	61x19.5x48.5cm(1pc)